



DEWAN FILHARMONIK PETRONAS
KUALA LUMPUR, MALAYSIA

1. LIGHTING EQUIPMENT LIST

LIGHTING CONTROLLER

- 1 x AVOLITE PEARL 2010 Lighting Console
- 1 x ETC Expression 3, Lighting Console
- 1 x ETC Express 250, Lighting Console

PRODUCTION DIMMERS

- 2 x ETC Dimmers 2.5kw (performances)
- 1 x ETC Dimmers 2.5kw (concert)

CONCERT LIGHTING (FIXED POSITION – ORCHESTRA USE ONLY)

- 96 x VN5P 750w ETC Source Four Par 64

PRODUCTION LIGHTING

- 20 x 5 deg 750w ETC Source Four Profile
- 25 x 10 deg 750w ETC Source Four Profile
- 20 x 19 deg 750w ETC Source Four Profile
- 20 x 26 deg 750w ETC Source Four Profile
- 30 x 36 deg 750w ETC Source Four Profile
- 20 x 25/50 750w ETC Zoom Profile
- 24 x PAR 750w ETC Source Four Par (Loose)
- 12 x Aurora Floodlights
- 12 x ETC Source Four Profile (Various degree lens)
- 1 x ETC 24 Channels Portable Dimmer

MOVING HEAD LIGHTS

- 18 x LED Wash Moving Head
- 6 x 7R SHARPY Spot Moving Head
- 12 x 3 in 1 Beam Spot Wash
- 20 x LED Bars

FOLLOWSPOT

- 3 x 1200w HMI Lycian 1275/UT Follow spots

EFFECT

- 2 x ANTARI 1500 Z series smoke machine
- 2 x ANTARI HZ350 series haze machine


SCONCES


- 100 x Stand Light

LIGHTING TRUSS

- 1 x 55 feet Lighting Truss

2. LIGHTING TRUSS POSITION





LEGEND:




Sharpys




LED Bars


3. SIDE LIGHTING BAR POSITION (AUDITORIUM AREA – Level 2)




4. TOP LIGHTING (CATWALK – Level 4)




BACK LIGHT – 26 deg profile






STAGE




SIDE TOP – 19 deg profile




SIDE TOP – 19 deg profile



1st bridge – 15/30 deg profile



2nd bridge – 10 deg profile



5.POINT HOIST POSITION (CATWALK AREA – Level 4)

